Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II,

Amended by COMMISSION REGULATION (EU) 2015/830.

According to REGULATION (EC) No 1272/2008

Version 1.1

Issue date: 25-08-2020 Revision date: 25-08-2020

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

SILTHERM BOARD
SILTHERM QUILT
SILTHERM ALUFLEX
SILTHERM PANEL
SILTHERM PANEL FP
SILTHERM PANEL CS

Identification on the label/Trade name: SILTHERM PANEL CS

SILTHERM SLATFLEX SILTHERM PIPESHELL SILTHERM GRANULATE SILTHERM VACUPANEL SILTHERM SILICORE

Additional identification:

Identification of the product:

Index Number:

See section 3

REACH registration No.:

See section 3

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1.2.1 Identified uses:

Industrial thermal insulation

1.2.2 Uses advised against:

Not available.

1.3 Details of the supplier of the safety data sheet:

Supplier(Only representative):

Supplier(Manufacturer): Siltherm Group Holdings Ltd

Address: B-10 Huangpu Science Park, 2842 Xingangdong

Road, Haizhu District, 510000 Guangzhou, China

Contact person(E-mail): info@siltherm.com
Telephone: +86 (20) 3888 9182

Fax: -

1.4 Emergency Telephone Number:

+86 (20) 3888 9182 - only available during office hours (9:00a.m.-17:30p.m)

Available outside office hours? YES NO X

Section 2 Hazards Identification

2.1 Classification of the substance or mixture:

2.1.1 Classification:

The mixture is classified as following according to REGULATION (EC) No 1272/2008:

Product name: SILTHERM BOARD

Version #: 1.1 v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 1 / 8

REGULATION (EC) No 1272/2008					
Hazard classes/Hazard categories	Hazard statement				
Skin Irrit. 2	H315				
Eye Irrit. 2	H319				
STOT SE 3	H335				

For full text of H- phrases: see section 2.2.

2.2 Label elements:

H315: Causes skin irritation. **Hazard Statement:**

H319: Causes serious eve irritation.

H335: May cause respiratory irritation.

P201: Obtain special instructions before use. **Precautionary statement:**

P202: Do not handle until all safety precautions have been read and

understood.

P261: Avoid breathing dust/fume/ gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P302 + P352: IF ON SKIN: Wash with plenty of water.

P304 + P340: IF INHALED: remove person to fresh air and keep

comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308 + P313: IF exposed or concerned: Get medical

advice/attention.

P312: Call a poison center/doctor if you feel unwell.

P332 + P313: If skin irritation occurs: Get medical advice/attention. P337 + P313: If eye irritation persists: Get medical advice/attention.

P362 + P364: Take off contaminated clothing and wash it before

P403 + P233: Store in a well-ventilated place. Keep container tightly

closed.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local

regulations.

2.3 Other hazards:

Not applicable.

Section 3 Composition/information on ingredients

Substance/Mixture:

Mixture

Ingredient(s):

Chemical Name	Registrati on No.	CAS No.	EC No.	Concentration	Classification
Amorphous silica	N/A	112945-52- 5	N/A	20-80%	H315 H319 H335
Aluminium oxide	N/A	1344-28-1	215-691-6	0-40%	Not Classified
Silicon carbide	N/A	409-21-2	206-991-8	10-35%	Not Classified

Product name: SILTHERM BOARD v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 Version #: 1.1 2 / 8

Glass filaments	N/A	65997-17- 3	266-046-0	0-5%	Not Classified
-----------------	-----	----------------	-----------	------	----------------

With filament diameters in the range 6-11 microns, no respirable fibres contained as defined by the WHO (World Health Organization)

Section 4 First aid measures

4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

4.1.1 In case of inhalation:

In extreme exposures some congestion may occur, remove affected to person to fresh air. Seek medical attention if condition persists.

4.1.2 In case of skin contact:

In case of skin irritation rinse affected are with water and wash gently, do not rub or scratch exposed skin.

4.1.3 In case of eyes contact:

In case of eye contact flush abundantly with water, eye bath recommended. Do not rub eyes and seek medical attention if irritation persists.

4.1.4 In case of ingestion:

Call a physician or poison control centre immediately. Take victim immediately to hospital. If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Artificial respiration and/or oxygen may be necessary.

4.2 Most important symptoms and effects, both acute and delayed:

Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Use extinguishing media suitable for surrounding combustible

materials. Use water, CO2, foam, or dry extinguishing media.

Unsuitable extinguishing media: Not available.

5.2 Special hazards arising from the

substance or mixture

Non combustible product, however encapsulation may burn if

exposed to flames.

5.3 Advice for firefighters: In the event of fire, wear self-contained breathing apparatus. Use

personal protective equipment. Wear chemical resistant oversuit.

Cool containers / tanks with water spray.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid build up of dust. In the event of high dust levels use approved 6.1.1 For non-emergency

respiratory personal protection equipment. personnel:

Evacuate personnel to safe areas. Keep people away from and 6.1.2 For emergency responders:

upwind of spill/leak. Ventilate the area. Wear suitable protective

clothing.

6.2 Environmental Precautions: Should not be released into the environment. Do not flush into

surface water or sanitary sewer system. If the product contaminates

rivers and lakes or drains inform respective authorities.

Product name: SILTHERM BOARD v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 Version #: 1.1 3 / 8 6.3 Methods and material **Containment and Cleaning up:** Pick up mechanically. Avoid raising dust, use a vacuum cleaner fitted with an exhaust air filter fine enough to trap the dust is

recommended. Do not use compressed air for dust cleaning.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Section 7 Handling and storage

7.1 Precautions for safe handling:

7.1.1 Protective measures:

Avoid build up of dust. Siltherm products, especially in an encapsulated form, is unlikely to generate significant quantities of airborne dust. During working procedures generation of is dust possible, if there is no effective dust removal system present, use approved respiratory personal protection equipment with the appropriate nominal protection and eye protection. Eating, drinking, smoking as well as food storage is prohibited in the workroom. General hygiene measures for handling chemicals are applicable. Wash hands before breaks and at the end of work. Remove contaminated clothing and personal protective equipment before entering areas in which food is present.

general 7.1.2 Advice on occupational hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before

entering eating areas.

7.2 **Conditions** for safe storage. Including any incompatibilities:

Store in original packaging in dry conditions. Store in dry and roofed

places.

7.3 Specific end use(s):

Not applicable.

Section 8 Exposure Controls/Personal Protection

8.1 Control parameters:

8.1.1 Occupational exposure limits:

				Occupatio	nal Exposure	Occupat	ional Expo	sure Limit
				Limit Va	lue (8-hour	Value (15-minute reference		eference
				referen	ce period)	period)		
Country	Substance	EINECS	CAS No.	ppm	mg/ m3	ppm	mg/ m3	Note
		No.						
Ireland	Silicon carbide	206-991-8	409-21-2					
	total inhalable			-	10	-	-	-
	dust			-	3	-	-	-
	respirable dust				Fibrous:		-	
					0.1			
					fibre/cc			
Ireland	Aluminium	215-691-6	1344-28-					
	oxides;		1	-	10	-	-	-
	total inhalable			-	4	-	-	-
	dust respirable dust							
	Trespirable dust							

8.1.2 Additional exposure limits Not available. under the conditions of use:

8.1.3 **DNEL/DMEL** and Not available.

Product name: SILTHERM BOARD Version #: 1.1 v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 4 / 8 **PNEC-Values:**

8.2 Exposure controls:

8.2.1Appropriate engineering Ensure adequate ventilation. Apply technical measures to comply

controls: with the occupational exposure limits.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection: Goggles or safety glass with side shields.

Hand protection: Gloves.

Body protection: Long sleeved overalls that are loose fitting at the neck and waist. **Respiratory protection:** Approved and properly fitting respirator fitted with the appropriate

particulate filter.

Thermal hazards: Wear suitable protective clothing to prevent heat.

8.2.3 Environmental exposure Avoid discharge into the environment.

controls: According to local regulations, Federal and official regulations.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Solid

Colour: Gray or white (depending on the opacifier)

Odour: None

Odour threshold: Not available

pH: 4,2 - 4,3 at 20 °C (40 g/l H2O)

> 1200 °C Melting point/range (°C): Boiling point/range (°C): Not available Flash point (°C): Not available **Evaporation rate:** Not available Flammability limit - lower (%): Not available Not available Flammability (solid, gas): Ignition temperature (°C): Not available **Upper/lower explosive limits:** Not available Vapour pressure (20°C): Not available Vapour density: Not available

Density: 160 – 550 kg/m3

Bulk density (kg/m³): Not available
Water solubility (g/l): Insoluble

n-Octanol/Water (log Po/w):

Auto-ignition temperature:

Not available

Decomposition temperature:

Not available

Viscosity, dynamic (mPa.s):

Explosive properties:

Not available

Not available

Not available

9.2. Other information:

Fat solubility(solvent-oil to be Not available

specified) etc:

Surface tension: Not available

Dissociation constant in water(pKa): Not available

Product name: SILTHERM BOARD

Version #: 1.1 v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 5 / 8

Oxidation-reduction Potential: Not available

Section 10 Stability and reactivity

10.1 Reactivity: The substance is stable under normal storage and handling

conditions.

Stable at room temperature in closed containers under normal 10.2 Chemical stability:

storage and handling conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: Incompatible materials.

10.5 Incompatible materials: Oxidizing agents. 10.6 **Hazardous** decomposition Not available.

products:

Section 11 Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

Not available ATE_{mix}(oral): **ATE**_{mix}(inhalation): Not available ATE_{mix}(Dermal): Not available Not available LD50(Oral, Rat): Not available LD50(Dermal, Rabbit): LC50(Inhalation, Rat): Not available

Skin corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Not classified Reproductive toxicity: Not classified

STOT- single exposure: May cause respiratory irritation.

STOT-repeated exposure: Not classified **Aspiration hazard:** Not classified

Section 12 Ecological information

12.1 Toxicity:

Acute (short-term) toxicity:

Not available LC50(96h, Fish): Not available EC50(48h, Crustacea): EC50(72h, Algae/aquatic plants): Not available

Chronic (long-term) toxicity:

NOEC(Fish): Not available NOEC(Crustacea): Not available EC50(Algae/aquatic plants): Not available 12.2 Persistence and degradability: Not available. 12.3 Bioaccumulative potential: Not available. 12.4 Mobility in soil: Not available. 12.5 Results of PBT and vPvB Not applicable

assessment:

Product name: SILTHERM BOARD SDS EU v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 Version #: 1.1 6 / 8 Not available.

Section 13 Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with all applicable local and national regulations. Use recovery/recycling where feasible, otherwise incineration is the recommended method of disposal. Empty containers may contain hazardous residues. Do not cut, puncture or weld on or near to the container. Labels should not be removed from containers until they have been cleaned. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by

Section 14 Transport information							
	Land transport	Inland waterways	Sea transport	Air transport			
	(ADR/RID)	(ADN)	(IMDG)	(ICAO/IATA)			
UN number	Not regulated	Not regulated	Not regulated	Not regulated			
UN Proper shipping name	Not regulated	Not regulated	Not regulated	Not regulated			
Transport hazard Class(es)	Not regulated	Not regulated	Not regulated	Not regulated			
Packing group	Not regulated	Not regulated	Not regulated	Not regulated			
Environmental hazards	No	No	No	No			
Special precautions for user	See section 2.2	See section 2.2	See section 2.2	See section 2.2			
Transport in bulk according to Annex II of Marpol and the IBC Code	Not regulated	Not regulated	Not regulated	Not regulated			

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixt	15.1	Safety. h	realth and	environmental	regulations/le	gislation s	pecific for	the substance	or mixture
--	------	-----------	------------	---------------	----------------	-------------	-------------	---------------	------------

Relevant information regarding authorization: Not applicable. **Relevant information regarding restriction:** Not applicable.

Other EU regulations: Employment restrictions concerning young person must be

observed. For use only by technically qualified individuals.

Other National regulations: Not applicable

15.2 Chemical safety assessment YES N X

Section 16 Other information

16.1 Indication of changes:

Product name: SILTHERM BOARD

Version 1.0 Amended by (EU) 2015/830

16.2 Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Version #: 1.1 v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020

RID: Regulation for rail International transportation of Dangerous goods

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: Code international maritime dangerous goods code

ICAO-TI: International Civil Aviation Organization The International Civil Aviation Covenant

IATA: International Air Transport Association

LC50: median lethal concentration

EC50: The effective concentration of substance that causes 50% of the maximum response.

NOEC: No Observed Effect Concentration

DNEL: derived no-effect level

PNEC: predicted no-effect concentration

16.3 Key literature references and sources for data

ECHA Registered substances data

16.4 Classification and procedure used to derive the classification for mixtures according to Regulation

(EC) 1272/2008 [CLP]

Classification according to Regulati	Classification procedure	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H335	Calculation method

16.5 Relevant H-statements (number and full text):

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

16.6 Training instructions:

Not applicable.

16.7 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this

product.

16.8 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: SILTHERM BOARD v1.0 Issue date: 02-03-2020 v1.1 Revision/Issue date: 25-08-2020 Version #: 1.1 8 / 8